

41. Mud shall not be tracked off the construction site or improved roads. Grading operations shall cease in the event that a danger of tracking mud offsite exists. The site shall be cleaned up and road right-of-way swept clean when necessary.
42. The TRPA shall be provided written notification when the work on the project is complete.
43. No work activity shall be allowed during any holiday which would adversely affect traffic on the adjacent roads.
44. At least one (1) parking space 12' wide shall be appropriately located and signed for the use of vehicles with handicapped persons. The location of said space shall be approved by the TRPA prior to the start of construction. The two required signs shall conform with the Caltrans standard sign specification G-81.
45. Facilities shall be provided for bicycles adequate to secure at least ten (10) full-size bicycles. The bicycle facility shall be secured to the ground or building to provide adequate security. The location and type of storage facility shall be submitted to the TRPA for review and approval prior to the start of construction.
46. Physical barriers shall be provided to confine vehicles to their designated parking areas and driveways. The type and location of these barriers shall be submitted to the TRPA for review and approval prior to the start of construction.
47. This approval does not include approval of any private signs other than those shown on the final construction drawings approved by Agency staff.
48. This approval does not include approval for any outdoor lighting, except as may be shown on the final construction drawings approved by Agency staff.
49. All construction equipment shall be equipped with appropriate mufflers and all construction activities shall occur only between 7 a.m. and 7 p.m.
50. As part of the final construction drawings, the applicants shall submit to Agency staff a forest management program. This program shall be subject to review and approval by Agency staff.
51. At the time when the foundation inspection is requested of the local building department, the Agency must be notified and requested to inspect the site. At the time of this inspection, all drainage and slope stabilization improvements shown on the